


# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates

**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**




↓ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates

**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**




⬇ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates

**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**




⬇ Breakpoint

# NARMS - EB 1997

## Veterinary Isolates


**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



# NARMS - EB 1997

## Veterinary Isolates

**Fig. 21. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Cattle (Slaughter)**



⬇ Breakpoint